

Muc-Off Miracle Shine

Page: 1

Compilation date: 11/01/2016

**Revision No:** 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: Muc-Off Miracle Shine

Product code: 947

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## 1.3. Details of the supplier of the safety data sheet

Company name: Muc-Off Itd

Unit 1 Concept Office Park

**Innovation Close** 

Poole

**BH12 3BN** 

United Kingdom

Tel: 01202 307790

101. 01202 007770

Email: info@muc-off.com

# 1.4. Emergency telephone number

Emergency tel: 01202 307790

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Aquatic Chronic 3: H412; Flam. Liq. 3: H226; STOT RE 2: H373

Most important adverse effects: Flammable liquid and vapour. May cause damage to organs through

prolonged or repeated exposure [oral]. Harmful to aquatic life with long

lasting effects.

## 2.2. Label elements

Label elements:

Hazard statements: H226: Flammable liquid and vapour.

H373: May cause damage to organs through prolonged or repeated

exposure [oral].

H412: Harmful to aquatic life with long lasting effects.

Hazard pictograms: GHS02: Flame

GHS08: Health hazard





Muc-Off Miracle Shine

Page: 2

Signal words: Warning

**Precautionary statements:** P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.P260: Do not breathe vapours.

P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/first

aid.

P331: Do NOT induce vomiting.

P501: Dispose of contents/container to hazardous or special waste

collection point.

## 2.3. Other hazards

**Other hazards:** In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

### Hazardous ingredients:

HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%) - REACH registered number(s): 01-2119458049-33

EINECS	CAS	PBT / WEL	CLP Classification	Percent
919-446-0	64742-82	-	Flam. Liq. 3: H226; Aquatic	5-10%
	-1		Chronic 2: H411; STOT SE 3:	
			H336; STOT RE 1: H372; Asp.	
			Tox. 1: H304; -: EUH066	

HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS - REACH registered number(s): 01-2119456620-43

926-141-6		Substance with a Community	Asp. Tox. 1: H304; -: EUH066	1-5%
920-141-0	_	Substance with a Community	ASP. 10X. 1. H304, EUHU00	1-376
		workplace exposure limit.		

# Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to

skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water. Give 1 cup of water to drink every 10 minutes.

**Inhalation:** Move to fresh air in case of accidental inhalation of vapours.

## 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Muc-Off Miracle Shine

Page: 3

Ingestion: Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: Exposure may cause coughing or wheezing. Drowsiness or mental

confusion may occur.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder.

### 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** Flammable. In combustion emits toxic fumes. Forms explosive air-vapour

mixture.

## 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to

prevent contact with skin and eyes.

### Section 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Eliminate all

sources of ignition. Turn leaking containers leak-side up to prevent the

escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage

container for disposal by an appropriate method. Do not use equipment in

clean-up procedure which may produce sparks.

## 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

#### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Ensure there is sufficient ventilation of the area.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep

away from sources of ignition.

Muc-Off Miracle Shine

Page: 4

## 7.3. Specific end use(s)

**Specific end use(s):** No data available.

## Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

## Hazardous ingredients:

## HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

## Workplace exposure limits:

#### Respirable dust

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	350mg/m3	1	-	-

#### HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS

		UK	1200mg/m3	-	_	
--	--	----	-----------	---	---	--

## **DNEL/PNEC Values**

**DNEL / PNEC** No data available.

## 8.2. Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protection not required.

**Hand protection:** Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

# Section 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

State: Emulsion

Colour: Pink

Odour: Perceptible odour

**Evaporation rate:** Moderate

Oxidising: Not applicable.

Solubility in water: Insoluble

**Also soluble in:** Most organic solvents.

Viscosity: Viscous

Kinematic viscosity: >20.5

Viscosity test method: Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3219)

Boiling point/range°C: 100 Melting point/range°C: No data available.

Flammability limits %: lower: No data available. upper: No data available.

Flash point °C: 53 Part.coeff. n-octanol/water: No data available.

Autoflammability°C: No data available. Vapour pressure: No data available.

**Relative density:** 0.990 **pH:** Not applicable.

**VOC g/I:** No data available.

[cont...]

Muc-Off Miracle Shine

Page: 5

## 9.2. Other information

Other information: No data available.

## Section 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage

conditions. Decomposition may occur on exposure to conditions or materials

listed below.

#### 10.4. Conditions to avoid

**Conditions to avoid:** Heat. Hot surfaces. Sources of ignition. Flames.

#### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## **Section 11: Toxicological information**

#### 11.1. Information on toxicological effects

## Hazardous ingredients:

# HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

DERMAL	RAT	LD50	>3400	mg/kg
ORAL	RAT	LD50	>15000	mg/kg
VAPOURS	RAT	4H LC50	13100	mg/kg

## HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS

DERMAL	RBT	LD50	>5000	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5000	mg/kg

#### Relevant hazards for substance:

Hazard	Route	Basis
STOT-repeated exposure	-	Hazardous: calculated

Muc-Off Miracle Shine

Page: 6

## Symptoms / routes of exposure

**Skin contact**: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

Ingestion: Nausea and stomach pain may occur. There may be vomiting and diarrhoea.

Inhalation: Exposure may cause coughing or wheezing. Drowsiness or mental

confusion may occur.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

## Section 12: Ecological information

#### 12.1. Toxicity

#### Hazardous ingredients:

#### HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS (2-25%)

Daphnia magna	48H EC50	<22	mg/l
FISH	96H LC50	<30	mg/l

### HYDROCARBONS, C11-14, N-ALKANES, ISOALKANES, CYCLIC, <2% AROMATICS

ALGAE	72H IC50	20	mg/l
Daphnia magna	48H EC50	>250	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	>1000	mg/l

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable in part only.

## 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

## 12.4. Mobility in soil

Mobility: Insoluble in water. Readily absorbed into soil.

## 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

## 12.6. Other adverse effects

Other adverse effects: Harmful to aquatic organisms.

### Section 13: Disposal considerations

# 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised

disposal company.

NB: The user's attention is drawn to the possible existence of regional or

national regulations regarding disposal.

Muc-Off Miracle Shine

Page: 7

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1993

#### 14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S.

(HYDROCARBONS, C9-C12, N-ALKANES, ISOALKANES, CYCLICS, AROMATICS

(2-25%)

## 14.3. Transport hazard class(es)

Transport class: 3

## 14.4. Packing group

Packing group: III

#### 14.5. Environmental hazards

Environmentally hazardous: No Marine pollutant: No

#### 14.6. Special precautions for user

**Special precautions:** No special precautions.

Tunnel code: D/E

Transport category: 3

## **Section 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Specific regulations:** Not applicable.

## 15.2. Chemical Safety Assessment

## **Section 16: Other information**

## Other information

**Other information:** This safety data sheet is prepared in accordance with Commission

Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: EUH066: Repeated exposure may cause skin dryness or cracking.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H336: May cause drowsiness or dizziness.

H372: Causes damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H373: May cause damage to organs <or state all organs affected, if

known> through prolonged or repeated exposure <state route of exposure

Muc-Off Miracle Shine

Page: 8

if it is conclusively proven that no other routes of exposure cause the hazard>.

H411: Toxic to aquatic life with long lasting effects.

H412: Harmful to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be

all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the

above product.